
Price List

JUMP TO PRICING CLICK HERE





Nerita 17 January 2025



Specifications

Nerita is available in 4-leg, sled and swivel base styles with a shell of molded resilient polypropylene resin. In addition to the poly shell an upholstered seat pad is available. The chairs may be specified with or without arms.

Features

The 4-leg chairs feature a high density polyethylene (HDPE) black glide, while the sled base chairs have a clear polycarbonate flat glide. The swivel chairs have a polished aluminum or powdercoat base and feature 3" hollow wheel black casters or felt glides.

Shipping Schedule

Poly Shell

3-5 WEEKS

Some shell colors as well as powdercoated swivel bases may require an extended lead time. Contact Versteel Customer Service for additional information.

NOTE CHAIR ORDERS WITH COM UPHOLSTERY WILL BE SCHEDULED UPON RECEIPT OF COM UPHOLSTERY YARDAGE

BIFMA

All Versteel products are constructed to pass the relevant ANSI/BIFMA standards. For more detailed specifications by series and base style, contact Versteel Customer Service at 800.876.2120.

Additional information regarding warranty, terms and conditions, shipping, care and maintenance, etc. can be found in the All Seating price list.

Standard Versteel Upholstery

Standard Versteel Upholstery offers a range of materials, from fabrics in a variety of colors and textures to vinyls for soil resistance. Please refer to Versteel's fabric cards or the "Materials + Finishes" section of our website for information.

Grade-In Upholstery

Versteel has coordinated with upholstery manufacturers to simplify your order process. Many of the manufacturers' offerings have been pre-approved for application on Versteel Seating.

Contact Versteel Customer Service with your selected fabric choice to be graded in. You will be supplied with the appropriate grade-in designator. On your purchase order, complete the information with the pattern name, color description and grade-in designator, and Versteel will take it from there.

Customer's Own Material

Customer's Own Materials (COM's) are not an issue on Nerita. Many COM's are pre-approved for application on Versteel Seating. Call Versteel Customer Service with your COM selection to determine if it has been pre-approved. If your selection has not been pre-approved, reference the "Receiving COM Approval" section below.

Receiving COM Approval

Not all materials are suitable for upholstery on Nerita. A 12" x 12" memo sample must be supplied for approval before a COM material is accepted for an order. If the material is directional in pattern or weave, the pattern repeat (in inches) in both directions or the weave direction must be supplied.

Excess COM

Versteel will not store excess COM for more than 30 days after the order has been completed. If excess material is to be returned after order completion, send the request to Versteel Customer Service prior to acknowledged ship date. It is the customer's responsibility to arrange for the return of the material "freight collect."

COM Requiring Application Test

If an application test is required for your selected COM, send test sample material along with the following.

- 1. Name and return address
- 2. Model selected
- Sketch showing special requirements for the positioning of the materials' pattern on the seat and ledge, if special considerations are required.

NOTE ALL UPHOLSTERIES ARE CUT UP THE ROLL TO MAXIMIZE YIELD AND WEAR PERFORMANCE

Ship COM to:

Versteel 2332 Cathy Lane Jasper, IN 47546

COM must be shipped to the factory with transportation costs "prepaid." If material is considered defective or unusable, it will be returned "transportation collect."


For standard lead time orders, tag fabric with purchase order number and identify with project number if possible.

Application of Directional Fabrics

Due to the upholstering process, some fabrics not considered directional by the supplier may be considered directional by Versteel.

All COM's are cut "up the roll" unless otherwise directed by the customer (see illustration below).

EXAMPLE PATTERN CUT UP THE ROLL



If special cutting or upholstery application is required, you must indicate requirement at time of order entry.

Nerita COM Yardage Requirements

COM yardage requirements are calculated for chairs based on a material width of 54" and a repeat of 2" or less. For material less than 54" wide, contact Versteel for yardage requirements. Use the chart below as a guide to calculate your COM yardage. For quantities greater than 20 chairs, contact Versteel Customer Service for calculation of COM yardage by model.

| Quantity of Chairs | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
|---------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Nerita | | | | | | | | | | | | | | | | | | | | |
| Upholstered Seat Pad Only | 1.0 | 1.0 | 1.0 | 2.0 | 2.0 | 2.0 | 2.0 | 3.0 | 3.0 | 3.0 | 3.0 | 4.0 | 4.0 | 4.0 | 4.0 | 5.0 | 5.0 | 5.0 | 5.0 | 6.0 |

Patterned COM Additional Yardage Guide


Use the guide below to aid in ordering the appropriate COM fabric when needing to match a pattern with a repeat. To use this guide, add the vertical and horizontal repeats together (e.g. a 5" vertical repeat plus an 11" horizontal repeat gives a 16" total). Then find the appropriate entry on the chart, and increase the yardage estimate by the percentage indicated.

For example: The yardage estimate is 8 yards of $54^{\prime\prime}$ wide fabric and the pattern has a repeat of 11" horizontal and 5" vertical. Add up the repeats (11" + 5" = 16") and find the appropriate entry - 15% in this example. Fifteen percent more fabric is required to match the pattern. 8 yards plus an extra 15% is 9.2 yards.

| Fabric Width | Plain Fabric | 3" - 14" Repeat | 15" - 19" Repeat | 20" - 27" Repeat | 28" - 36" Repeat | 37" - 45" Repeat | 46" - 54" Repeat |
|-----------------|-----------------|--------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| 54" | 0% | 10% | 15% | 20% | 25% | 30% | 35% |
| 50" - 52" | 10% | 20% | 25% | 30% | 35% | 40% | 45% |

Decorative Patterns

Yardage requirements are greatly affected by the size of the repeat and the print or pattern of the material. Versteel cuts all seating patterns with aesthetic concerns in mind for high quality and consistency. Refer to the COM listing for the yardage required for pattern repeat.





NOTE SAMPLE ORDER DOES NOT MATCH ABOVE IMAGE FABRIC.

| Orders may be sent via | Contact Versteel | | | | |
|------------------------|------------------|----------------------|--|--|--|
| Mailing Address | Email | contact@versteel.com | | | |
| Versteel | Phone | 800 876 2120 | | | |
| 2332 Cathy Lane | | 812 634 2120 | | | |
| Jasper IN 47546 | Fax | 812 482 9318 | | | |

6

Nerita Shells

Poly shells are molded with resilient, flexible polypropylene resin with a matte textured surface.

Nerita Poly Shell Colors

| Oyster | . YOYS | Snow | YSNO |
|--------|--------|------|------|
|--------|--------|------|------|

Nerita Poly Shell Colors-Extended Lead Time

| Near Black YNBL | Sand YSAN |
|-----------------|-----------|
| Quarry YQUA | |

Powder Coat Finishes

All powder coat finishes in the Versteel offering have been formulated with the use of epoxy, polyester or epoxy and polyester blends to maximize the finish durability.

Powder Coat Finish Options

| Powder Coat - Standard | ı/c | |
|------------------------|-----|--|
| Powder Coat - Premium | 65 | |

Nerita Powder Coat Colors

| Mint DMNT |
|------------------------------|
| Mint |
| Navy |
| Nimbus PNIM |
| NutmegPNUT |
| • Pacific PPAC |
| Pearl PPEA |
| Pebble PPEB |
| Platinum PPLA |
| РорруРРОР |
| • Raven |
| Royal PROY |
| Seaside PSEA |
| Shipyard |
| Silver |
| Snow |
| Stone PSTO |
| Storm PSTM |
| Terra Cotta PTEC |
| Whisper PWHI |
| White Linen |
| Powder Coat Alternative .OPA |
| |
| |
| |

Transparent Powder Coats (indicated by �)

Please note that the transparent characteristics of these powders allow all natural welds and textures inherent to raw steel to be visible.

Premium Powder Coats (indicated by (P)

Versteel's premium process uses specially formulated powder coats for a truly unique color palette.

Polished Aluminum

| 4-star cast aluminum swivel base is polished to a high gloss |
|--|
| sheen. |
| Polished Aluminum |

Plated

Versteel offers two plated options: Chrome and Nickel. Chrome is our most durable finish available and is a deep luster chrome plated finish. Nickel is a plated finish with a clear coat applied for durability. An upcharge applies for plated finishes. Plated finishes are not available on swivel base Nerita chairs. See product pricing pages for upcharge.

| Chrome EC | CHR |
|-----------|-----|
| NickelE | NKL |

Finish Reference & Samples

For finish color reference, please refer to our website. Contact Versteel Customer Service to receive actual color samples for color matches and final color approval.

Powder Coat Alternative

Call for quotation Specify code OPA (Powder Coat Alternative), add cost from Versteel quotation

Powder Coat Alternative is available from Versteel. The entire RAL color reference along with hundreds of other color and finishes are available.

For Powder Coat Alternative matching, you must supply a color reference sample, or an RAL number. Versteel will review the sample for possible existing colors available and send a sample for customer approval. If no color match exists a custom match can be developed. Call Versteel Customer Service for associated upcharges on custom color development.

NOTE CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Poly Shell Alternative

Call for quotation

Specify code OPS (Poly Shell Alternative), add cost from Versteel quotation

For Poly Shell Alternative, you must supply a color reference sample. Versteel will review the sample for possible existing colors available and send a sample for customer approval. If no color match exists, a custom match can be developed. Minimum order quantities exist for alternative colors. Call Versteel Customer Service for minimums and associated upcharges on Poly Shell Alternatives.

NOTE CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES



-

| ues | | |
|-----|--|--|
| | | |
| | | |

80

| Questions? 800 876 2120 | | | | | material / fabric grade > | Poly | 2/СОМ | 3 | 4 | 5 | 6 |
|--|--|---------|---------------|---|---|------|---------|-----|-----|-----|-----|
| | Description | Model# | Product Wt | Dimensions | materiar / rabite grade / | | 2/00101 | | 7 | 5 | |
| $\langle \rangle$ | Sled Base Armiess Shell: Poly | NES-07 | 17 | | Seat Height: 17½" Seat Width: 18" Seat Depth: 17" | 390 | | | | | |
| \mathcal{P} | Sled Base Armless Shell: Poly Seat: Upholstered Pad | NES-04 | 19 | Overall Height: 30" Overall Width: 20" Overall Depth: 21¼" | Seat Height: 17½" Seat Width: 18" Seat Depth: 17" | | 636 | 657 | 678 | 699 | 720 |
| <pre></pre> | Sled Base Arms Shell: Poly | NESA-08 | 18 | Overall Height: 30" Overall Width: 25%" Overall Depth: 21¼" | Seat Height: 17½" Seat Width: 18" Seat Depth: 17" Arm Height: 26½" | 394 | | | | | |
| | Sled Base Arms Shell: Poly Seat: Upholstered Pad | NESA-06 | 20 | Overall Height: 30" Overall Width: 25% Overall Depth: 21% | Seat Height: 17½" Seat Width: 18" Seat Depth: 17" Arm Height: 26½" | | 640 | 661 | 682 | 703 | 724 |
| COM Yardage Refer to page 5. | | | | | | | | | | | |

To Order, Specify... Model Number

2 Shell Color

3 Frame Color

Upholstery Selection

VERSTEEL

3

4

2/COM

Poly

material / fabric grade >

Product Wt Dimensions

Model#

4-Leg Base Round Metal Tube

5

Nerita

6

| $\left(\right)$ | |
|------------------|--|
| \mathcal{M} | |

Description



| Becemption | meaen | | Billionene | | | | | | | |
|---|----------|----|---|---|-----|-----|-----|-----|-----|-----|
| 4-Leg Metal Base Armiess Shell: Poly | NEML-07 | 16 | Overall Height: 30" Overall Width: 20" Overall Depth: 21¼" | Seat Height: 17½" Seat Width: 18" Seat Depth: 17" | 520 | | | | | |
| 4-Leg Metal Base Armiess Shell: Poly Seat: Uphoistered Pad | NEML-04 | 18 | Overall Height: 30" Overall Width: 20" Overall Depth: 21¼" | Seat Height: 17½° Seat Width: 18° Seat Depth: 17° | | 766 | 787 | 808 | 829 | 850 |
| 4-Leg Metal Base Arms Shell: Poly | NEMLA-08 | 17 | Overall Height: 30" Overall Width: 25%" Overall Depth: 21¼" | Seat Height: 17½" Seat Width: 18" Seat Depth: 17" Arm Height: 26½" | 523 | | | | | |
| 4-Leg Metal Base Arms Shell: Poly Seat: Upholstered Pad | NEMLA-06 | 19 | Overall Height: 30" Overall Width: 25%" Overall Depth: 21%" | Seat Height: 17½" Seat Width: 18" Seat Depth: 17" Arm Height: 26½" | | 769 | 790 | 811 | 832 | 853 |

COM Yardage Refer to page 5.

| Finish Options | | | | | |
|------------------------|----|-----|--|--|--|
| Chrome | \$ | 165 | | | |
| Nickel | | | | | |
| Powder Coat - Standard | | n/c | | | |
| Powder Coat - Premium | \$ | 165 | | | |

Custom Charges

Powder Coat Alternative (per color) OPA call Poly Shell Alternative (per color) OPS call



VERSTEEL

| Questions? | | | | | | | | | | | |
|--|---|-----------|-----------------|---|---|------|-------|-----|-----|-----|-----|
| 800 876 2120 | Description | Model# | Product | Dimensions | material / fabric grade > | Poly | 2/СОМ | 3 | 4 | 5 | 6 |
| | Description Fixed Height Swivel Armless Shell: Poly | NECFH-07 | <u>Wt</u> 17 | Overall Height: 30" Overall Width: 21" Overall Depth: 21¼" | Seat Height: 17½" Seat Width: 18" Seat Depth: 17" | 598 | | | | | |
| | Fixed Height Swivel Armless Shell: Poly Seat: Upholstered Pad | NECFH-04 | 19 | Overall Height: 30° Overall Width: 21° Overall Depth: 21¼° | Seat Height: 17½" Seat Width: 18" Seat Depth: 17" | | 844 | 865 | 886 | 907 | 928 |
| | Fixed Height Swivel Arms Shell: Poly | NECFHA-08 | 17 | Overall Height: 30" Overall Width: 25%" Overall Depth: 21¼" | Seat Height: 17½" Seat Width: 18" Seat Depth: 17" Arm Height: 26½" | 600 | | | | | |
| | Fixed Height Swivel Arms Shell: Poly Seat: Upholstered Pad | NECFHA-06 | 20 | Overall Height: 30" Overall Width: 25% Overall Depth: 214" | Seat Height: 17½" Seat Width: 18" Seat Depth: 17" Arm Height: 26½" | | 846 | 867 | 888 | 909 | 930 |
| COM Yardage Refer to page 5. | | | | | | | | | | | |

To Order, Specify... Model Number

Shell Color

3 Swivel Base Color

Upholstery Selection

VERSTEEL

Poly

2/COM

3

4

5

material / fabric grade >

6



| P | \rightarrow |
|---|---------------|
| | |

| Description | Model# | Product Wt | Dimensions | material / fabric grade > | Poly | 2/СОМ | 3 | 4 | 5 | 6 |
|---|-----------|---------------|---|---|------|-------|-----|-----|-----|-----|
| Fixed Height Swivel Armless Shell: Poly | NEGFH-07 | 16 | Overall Height: 30° Overall Width: 20° Overall Depth: 21¼° | Seat Height: 17½" Seat Width: 18* Seat Depth: 17* | 530 | | | | | |
| Fixed Height Swivel Armless Shell: Poly Seat: Upholstered Pad | NEGFH-04 | 18 | Overall Height: 30" Overall Width: 20" Overall Depth: 21¼" | Seat Height: 17½" Seat Width: 18* Seat Depth: 17* | | 776 | 797 | 818 | 839 | 860 |
| Fixed Height Swivel Arms Shell: Poly | NEGFHA-08 | 17 | Overall Height: 30" Overall Width: 25%" Overall Depth: 21¼" | Seat Height: 17½" Seat Width: 18" Seat Depth: 17" Arm Height: 26½" | 534 | | | | | |
| Fixed Height Swivel Arms Shell: Poly Seat: Upholstered Pad | NEGFHA-06 | 19 | Overall Height: 30" Overall Width: 25% Overall Depth: 21%" | Seat Height: 17½" Seat Width: 18* Seat Depth: 17" Arm Height: 26½" | | 780 | 801 | 822 | 843 | 864 |

COM Yardage Refer to page 5.

Swivel Base Options

| Swiver buse options | |
|---------------------------------------|-----|
| Polished Aluminum | n/c |
| Powder Coat - Standard | n/c |
| Powder Coat - Premium\$ | 165 |
| TRANSPARENT POWDER COAT NOT AVAILABLE | |

 Custom Charges
 Code
 Price

 Poly Shell Alternative (per color)
 OPS
 call

All prices are delivered list price effective with date printed on cover and supersedes all other published price lists. Versteel reserves the right to change prices or specifications without prior notice. Orders are accepted subject to price prevailing at time of shipment.

versteel.com Made in America 800 876 2120